
Kentucky Center for the Performing Arts

Bomhard Theatre- AACTFEST Quick tech facts


619 seating area, modified thrust stage



Proscenium opening 36' wide, 20' tall

Acting area depth- 21'

(this is from US Curtain to Plaster line- 10' plus 3' proscenium depth, Plus 8' apron- see floor plan)



There is a Main Act curtain at the plaster line- Guillotine operated from SL

Stage is 2'-7" above stage floor. There are stairs from audience level to stage

Stage Deck is black stained maple

All scenery must be free standing- no screwing to deck

Furniture and Scenery must have pads to protect floor from being scratched

Scenery must be painted on all sides as per local fire codes, There can be NO raw or unpainted wood including underside of platforms, legs, etc.

US Curtain is Black duvetyn.

Fly pipes may be available if requested prior to Festival

There is no open flame permitted in the facility

Vaping is permitted on stage- only water, no flavor or other additives

Any firearms on stage must be approved-request guidelines

Light Board is an ETC ION XE-

Light plot and channel sheets available on AACT website

Sound Board is a Yamaha CL5

Hook-up for a laptop will be available

The stage will not be miked

See Bomhard Venue document download for further information

Dressing rooms are below stage level and will be shared

There are individual makeup stations with mirrors and private restrooms

There are Irons, steamers and z-racks available

The largest vehicle that can fit on the loading dock ramp is a 26' box truck

Dock is 3'11" above ground level; ramp slopes away from the dock


There is no ramp available from ground level to dock height.

For specific questions regarding AACTFest technical Information contact

Bob Frame, AACTFest Technical Liaison- framer@cayuga-cc.edu



Loading dock ramp by yellow railings on Place Montpellier



For further information on the Bomhard theatre you may download their tech packet at:

 $\frac{https://www.kentuckyperformingarts.org/docs/default-source/venue-documents/kentucky-center-documents/bomhard-updated-11-17-2021.pdf$